MADE IN THE USA

SoluGap®

WATER SOLUBLE SOCKET WELD SPACER RING

US & FOREIGN PATENTS ISSUED

FOR A PRECISE & EVEN GAP EVERY TIME


DISTINCTIVE DESIGN
COMPATIBLE WITH ANY METAL



SteelSpace®

CERTIFIED 316L STAINLESS STEEL SOCKET WELD SPACER RING

TRADITIONAL DESIGN



FEATURES

- Both SoluGap and SteelSpace Provide the 1/16" (1.6 mm) Minimum Gap Required by ANSI 31.1, Section III, ASME, US Navy & Military Codes
- Eliminate Scribing, Measuring & Fitting
- Eliminate & Reduce Cracked Welds
- Hollow Center Enables Viewing During Welding

Aquasol CORPORATION

aquasolwelding.com

SteelSpace®

CERTIFIED 316L STAINLESS STEEL SOCKET WELD SPACER RING

TRADITIONAL DESIGN & TRUSTED CHOICE

FEATURES

- Provides the 1/16" (1.6 mm) Minimum Gap
- 316L Stainless Steel Construction
- Second Most Common Stainless Steel Grade
- Known as “Marine Grade” Due to Its Increased Resistance to Chloride Corrosion
- Ideal for Use in Food, Pharmaceutical, Nuclear and Aeronautical Applications
- Spring Tension Holds Rings Securely in Place
- Becomes Permanent Part of The Joint



JUST PUSH-IN-PLACE

INSTRUCTIONS FOR USE:



1 *SQUEEZE*

Squeeze outer edges of SteelSpace® Ring.



2 *PUSH IN PLACE*

Push in place to align evenly against socket seat



3 *ALIGN*

Once aligned, commence welding.

SPECIFICATIONS

SteelSpace® Certified 316L Stainless Steel Socket Weld Spacer Ring

ITEM NO.	DIAMETER	THICKNESS	DIAMETER NOMINAL (DN)	PACKAGING
	ENGLISH	ENGLISH		
STS-0.375	3/8"	1/16"	10	25 pcs/bag
STS-0.5	1/2"	1/16"	15	25 pcs/bag
STS-0.75	3/4"	1/16"	20	25 pcs/bag
STS-1.0	1"	1/16"	25	25 pcs/bag
STS-1.25	1 1/4"	1/16"	32	25 pcs/bag
STS-1.50	1 1/2"	1/16"	40	25 pcs/bag
STS-2.0	2"	1/16"	50	25 pcs/bag

SoluGap®

WATER SOLUBLE SOCKET WELD SPACER RING

DISTINCTIVE DESIGN COMPATIBLE WITH ANY METAL

FEATURES

- Provides the 1/16" (1.6 mm) Minimum Gap
- Also Available in 1/8" (3.2 mm) Thickness
- Made of Aquasol® Water Soluble Composite Board
- Dissolves Rapidly & Completely In Water
- Does Not Corrode
- Firm Yet Compressible
- Unique 3-point Tabs Secure Placement Regardless of Pipe Orientation



JUST SNAP-IN-PLACE

INSTRUCTIONS FOR USE:



1 *POSITION*

Position ring inside socket.



2 *SNAP IN PLACE*

Tabbed edges fit snugly and snap-in-place.



3 *STAY IN PLACE*

SoluGap® Socket Rings stay in place, even when the socket is sideways or inverted.

SPECIFICATIONS ON NEXT PAGE.

SPECIFICATIONS

SoluGap® Water Soluble Socket Weld Spacer Ring

ITEM NO.	DIAMETER	THICKNESS	DIAMETER NOMINAL (DN)	PACKAGING
	ENGLISH (IN)	ENGLISH (IN)		
SGP-0.375	3/8"	1/16"	10	50 pcs/bag
SGP-0.5	1/2"	1/16"	15	50 pcs/bag
SGP-0.75	3/4"	1/16"	20	50 pcs/bag
SGP-1.0	1"	1/16"	25	50 pcs/bag
SGP-1.25	1 1/4"	1/16"	32	50 pcs/bag
SGP-1.50	1 1/2"	1/16"	40	50 pcs/bag
SGP-1.75	NA	1/16"	NA	50 pcs/bag
SGP-2.0	2"	1/16"	50	50 pcs/bag
SGP-2.5	2 1/2"	1/16"	65	50 pcs/bag
SGP-2.75	NA	1/16"	NA	50 pcs/bag
SGP-3.0	3"	1/16"	80	50 pcs/bag
SGP-3.25	NA	1/16"	NA	50 pcs/bag
SGP-3.5	3 1/2"	1/16"	90	50 pcs/bag
SGP-4.0	4"	1/16"	100	50 pcs/bag

SoluGap® Water Soluble Socket Weld Spacer Ring - 1/8" (1.8mm) Double ANSI 31.1 Code for Minimum Gap


ITEM NO.	DIAMETER	THICKNESS	DIAMETER NOMINAL (DN)	PACKAGING
	ENGLISH (IN)	ENGLISH (IN)		
SGP-0.375/2	3/8"	1/8"	10	50 pcs/bag
SGP-0.5/2	1/2"	1/8"	15	50 pcs/bag
SGP-0.75/2	3/4"	1/8"	20	50 pcs/bag
SGP-1.0/2	1"	1/8"	25	50 pcs/bag
SGP-1.25/2	1 1/4"	1/8"	32	50 pcs/bag
SGP-1.50/2	1 1/2"	1/8"	40	50 pcs/bag
SGP-1.75/2	NA	1/8"	NA	50 pcs/bag
SGP-2.0/2	2"	1/8"	50	50 pcs/bag
SGP-2.5/2	2 1/2"	1/8"	65	50 pcs/bag
SGP-2.75/2	NA	1/8"	NA	50 pcs/bag
SGP-3.0/2	3"	1/8"	80	50 pcs/bag
SGP-3.25/2	NA	1/8"	NA	50 pcs/bag
SGP-3.5/2	3 1/2"	1/8"	90	50 pcs/bag
SGP-4.0/2	4"	1/8"	100	50 pcs/bag

SoluGap® Water Soluble Socket Weld Spacer Ring in Bulk

ITEM NO.	DIAMETER	THICKNESS	DIAMETER NOMINAL (DN)	PACKAGING
	ENGLISH (IN)	ENGLISH (IN)		
SGP-0.375/M	3/8"	1/16"	10	500 Bag/1000 Box
SGP-0.5/M	1/2"	1/16"	15	500 Bag/1000 Box
SGP-0.75/M	3/4"	1/16"	20	500 Bag/1000 Box
SGP-1.0/M	1"	1/16"	25	500 Bag/1000 Box
SGP-1.25/M	1 1/4"	1/16"	32	500 Bag/1000 Box
SGP-1.50/M	1 1/2"	1/16"	40	500 Bag/1000 Box
SGP-1.75/M	NA	1/16"	NA	(2) 500 Box/1000 Box
SGP-2.0/M	2"	1/16"	50	(2) 500 Box/1000 Box
SGP-2.5/M	2 1/2"	1/16"	65	(2) 500 Box/1000 Box
SGP-2.75/M	NA	1/16"	NA	(2) 500 Box/1000 Box
SGP-3.0/M	3"	1/16"	80	(2) 500 Box/1000 Box
SGP-3.25/M	NA	1/16"	NA	(2) 500 Box/1000 Box
SGP-3.5/M	3 1/2"	1/16"	90	(2) 500 Box/1000 Box
SGP-4.0/M	4"	1/16"	100	(2) 500 Box/1000 Box

For additional product information, quotations and ordering, please contact:

Aquasol Corporation



80 Thompson Street
N. Tonawanda, NY 14120 USA

Toll Free: 1.800.564.WELD (9353)
Phone: 716.564.8888
Fax: 716.564.8889

Email: info@aquasolcorporation.com
aquasolwelding.com

Distributed By:

American Welding Society
Sustaining Company Member

MADE IN THE USA